



Dialock DT 400

elegant, secure, convenient



## Dialock DT 400

### The Product

DT 400 is the latest generation of touch-free identification and locking systems from the Dialock family. It replaces the combination of mechanical keys and locks completely and offers a significantly greater range of functions. Dialock is very flexible and can be extended at any time, from one to multiple users. The Dialock Hotel identification and locking system is made up of four basic components:

- Electronic keys
- Dialock door terminal - DT 400
- Dialock wall terminal - WT
- Encoding station

Conventional keys are replaced by electronic keys. The keys contain a memory chip on which user data and access authorisations can be stored.

DT 400 can be installed as a basic stand alone version or as a wireless online version for larger projects. Available from 2011, DT 400 goes wireless utilising the Zigbee Platform. You can communicate directly to the DT 400 from the reception desk.



### The Features

Convenient for guests and staff - DT 400 combines maximum convenience and security for all guests at minimum cost and effort to management. This is because access authorisations to the doors of your hotel can be conveniently granted and managed at the reception. For each room, and also the main entrance, staff entrance, delivery entrances, lift and underground car park. Access authorisations are easy to program and can be flexibly adapted at any time.

- The complete solution for a guest room door requires on the exterior side only standard rosettes and a very flat reader assembly under the lower rosette
- Interior unit includes terminal electronic assembly, battery compartment and DND assembly
- RF-based activation of the DT 400 allows for comfortable use by the guest and works only with a Dialock key
- Appealing, unobtrusive design corresponding with modern interior architecture
- Choice of six lever models
- Choice of three finishes:
  - Stainless steel, satin
  - Stainless steel, polished
  - Brass, polished
  - (Other finishes on request)
- Blank escutcheon or escutcheon for profile cylinder
- Fire-rated, approved mortice lock as per DIN 18250 with automatic deadbolt and anti-panic-function. Continuous highest security for the guest: The door is always locked whether the guest is inside or outside the room.
- Mounting of the DT 400 requires only the standard DIN drillings
- The guest can always leave their room by simply depressing the lever handle
- Optional: Emergency key opening solution through half profile cylinder mounted concealed or visible  
Emergency opening events are logged in the audit trail
- Turning the thumbturn on the interior module activates "DND" function. Horizontal position: DND is active, i.e. staff cannot enter the room.
- Blue and red LED indicate locking status
- IR interface for terminal configuration and download of diagnostic data and audit trails via MDU
- Up to 1000 access events can be stored
- Using eco-friendly AA Alkaline Manganese prolongs battery life to help lower operating costs

### The Levers



## A Combination of Convenience and Security

### Where to install DT 400

The use of DT 400 does not end at the hotel room door. All other doors can be integrated: the lockable room cabinet and furniture safe, the underground garage entrance and the lift.

Complex solutions are implemented with network partners and hotel software providers.

#### Door Terminal DT 400

##### Tag-it™ ISO

- Consists of an inside module / outside escutcheon reader and lever
- Material: Stainless steel
- Tag-it™ ISO 15693 technology
- Full Dialock compatibility
- "Do not disturb" function via thumbturn
- DIN Mounting

##### Tag-it™ Technology

Tag-it™ ISO is a new generation transponder technology in accordance with the globally recognised ISO Standard 15693 from Texas Instruments. Tag-it™ ISO is particularly outstanding due to its rapid signal processing and the availability of low cost data media.



### Other Dialock Terminals



Dialock DT Lite



DTSH V3



LockerLock



WT Wall Terminal



DFT Furniture Terminal

### Project References



Le Meridien Amman, Jordan  
Intercontinental Marine Drive, India  
Intercontinental Hotel Loipersdorf, Austria  
Madarin Oriental Munich, Germany  
ANDAZ London, UK  
Jeddah Hilton (Extension)

**Grand Hyatt**  
Seoul, Korea  
Mumbai, India  
Dubai, UAE  
Taipei, Taiwan  
Jakarta, Indonesia  
Doha, Qatar  
Guangzhou, China

**Park Hyatt**  
(Macka) Istanbul, Turkey  
Zurich, Switzerland  
(Yintai Center) Beijing, China  
Buenos Aires, Argentina

**Hyatt Regency**  
Dubai, UAE  
Kathmandu, Nepal  
Mumbai, India  
Delhi, India  
Kolkatta, India  
Bishkek, Kirgistan  
Shanghai, China

Phuket, Thailand  
Hua Hin, Thailand  
Kiev, Ukraine  
Tianjin, China  
Saipan, Mariana Islands



**Head Office**  
 PT Häfele Indotama  
 Taman Tekno BSD Blok A No. 3  
 Serpong, Tangerang 15314  
 Indonesia  
 Phone + 62 21 7587 8888  
 Fax + 62 21 7587 7777  
 info@hafele.co.id  
 www.hafele.co.id

**Central Java**  
 Jl. Majapahit 91 Ruko D  
 Semarang 50167  
 Phone: +62 24 767 444 66  
 Fax: +62 24 767 444 33  
 smg@hafele.co.id

**Yogyakarta**  
 Jl. Wonosari,  
 Ruko Tandan Raya B6  
 Yogyakarta 55198  
 Phone: +62 274 451 660  
 Fax: +62 274 451 660  
 yogya@hafele.co.id


**East Java**  
 Jl. Mayjend Sungkono 176 - 178  
 Ruko Grand Sungkono Blok A-8  
 Surabaya 60189  
 Phone: +62 31 5680 800  
 Fax: +62 31 5670 800  
 sby@hafele.co.id

**Bali**  
 Jl. Bypass Ngurah Rai 120 i  
 Kuta 80361  
 Phone: +62 361 764 278  
 Fax: +62 361 759 995  
 dpr@hafele.co.id

# Dialock DT 400



## Typical Hotel Setup



## Technical Details

- Escutcheon, lever and interior module made of stainless steel
- Finishes: Stainless steel, satin  
Stainless steel, polished  
Brass, polished
- Mortice lock: DIN mortice lock with 55 mm or 65 mm backset (other backsets on request)  
Anti-panic function  
Automatic door locking through automatic latch extension by 20 mm  
Monitoring contact to observe cylinder action  
Forend finishes: Satin stainless steel, polished stainless steel and polished brass
- Application environment: Indoor use only. (Outdoor installation only after consultation with Häfele). Usable on fire rated doors.

